

L Number	Hits	Search Text	DB	Time stamp
1	110	184/\$.ccls. and (turbine or turbocharger or supercharger)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:36
2	3	184/\$.ccls. and (turbine or turbocharger or supercharger) and "air oil mist"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:39
3	10	184/\$.ccls. and (turbine or turbocharger or supercharger) and "air oil mist"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:43
5	0	184/\$.ccls. and (turbine or turbocharger or supercharger) and "air oil mist" and torsion and spring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:40
6	0	184/\$.ccls. and (turbine or turbocharger or supercharger) and "air oil mist" and torsion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:40
4	5	184/\$.ccls. and (turbine or turbocharger or supercharger) and "air oil mist" and spring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:42
7	1795	184/\$.ccls. and spring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:42
8	18	184/\$.ccls. and "torsion spring"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:42
9	117	184/\$.ccls. and (turbine or turbocharger or supercharger) and spring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:43
10	15	184/\$.ccls. and (turbine or turbocharger or supercharger) and spring and oil and mist	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:48
11	1		USPAT	2004/01/28 15:44
12	1		USPAT	2004/01/28 15:44

13	1		USPAT	2004/01/28 15:44
14	1		USPAT	2004/01/28 15:45
15	1		USPAT	2004/01/28 15:45
16	1		USPAT	2004/01/28 15:45
17	1		USPAT	2004/01/28 15:45
18	1		USPAT	2004/01/28 15:46
20	0	(turbine or turbocharger or supercharger) and (helical near3 "torsion spring") and oil and mist	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:49
21	0	(turbine or turbocharger or supercharger) and (helical near3 "torsion spring") and oil and mist	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:49
22	18	(turbine or turbocharger or supercharger) and (helical near3 "torsion spring")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:49
24	0	(turbine or turbocharger or supercharger) and (helical near3 "torsion spring") and mist	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 16:08
23	9	(turbine or turbocharger or supercharger) and (helical near3 "torsion spring") and oil	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:50
25	11	(turbine or turbocharger or supercharger) and (helical near3 ((torsion or torsional) near2 spring)) and oil	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:58
26	1		USPAT	2004/01/28 15:51
27	1		USPAT	2004/01/28 15:52
28	1		USPAT	2004/01/28 15:53
29	1		USPAT	2004/01/28 15:53
30	1		USPAT	2004/01/28 15:53
31	1		USPAT	2004/01/28 15:55

32	1		USPAT	2004/01/28 15:56
33	1		USPAT	2004/01/28 15:56
34	1		USPAT	2004/01/28 15:56
35	1		USPAT	2004/01/28 15:57
36	1		USPAT	2004/01/28 15:57
37	0	(helical near3 ((torsion or torsional) near2 spring)) and oil and mist	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:58
38	89	(helical near3 ((torsion or torsional) near2 spring)) and oil	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 15:59
39	16	(helical near3 spring) and "oil mist"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 16:05
40	3	("torsion spring" or "torsional spring") and "oil mist"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 16:07
41	3	"6253747"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 16:07
42	1	2001-424519.NRAN.	DERWENT	2004/01/28 16:07
43	883	(turbine or turbocharger or supercharger) and (torsion or torsional) and oil	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 16:08
44	1	(turbine or turbocharger or supercharger) and (torsion or torsional) and "oil mist"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 16:12
45	1		USPAT	2004/01/28 16:09
46	1		USPAT	2004/01/28 16:10
47	1		USPAT	2004/01/28 16:10
48	1		USPAT	2004/01/28 16:10

49	1		USPAT	2004/01/28 16:10
50	1		USPAT	2004/01/28 16:10
51	1		USPAT	2004/01/28 16:11
52	1		USPAT	2004/01/28 16:12
53	1		USPAT	2004/01/28 16:12
54	15	(turbine or turbocharger or supercharger) and (torsion or torsional) and oil and mist	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 16:13

L Number	Hits	Search Text	DB	Time stamp
1	257	184/6.26.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/08 19:53
2	304	184/6.16.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/08 19:59
3	72	184/6.16.ccls. and (spring or isolator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/08 20:03
4	1060	(lubricate or lubricates or lubricating or lubricated) and ("torsion spring" or "torsional spring" or isolator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/08 20:04
5	24	(lubricate or lubricates or lubricating or lubricated) and ("torsion spring" or "torsional spring" or isolator) and (turbocharger or supercharger or blower)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/08 20:14
6	1		USPAT	2004/02/08 20:06
7	1		USPAT	2004/02/08 20:07
8	1		USPAT	2004/02/08 20:08
9	1		USPAT	2004/02/08 20:08
10	1		USPAT	2004/02/08 20:08
11	1		USPAT	2004/02/08 20:08
12	1		USPAT	2004/02/08 20:09
13	1		USPAT	2004/02/08 20:09
14	1		USPAT	2004/02/08 20:09
15	1		USPAT	2004/02/08 20:11
16	1		USPAT	2004/02/08 20:11
17	26	(lubricate or lubricates or lubricating or lubricated) and ("torsion spring" or "torsional spring" or isolator or "torsion damping") and (turbocharger or supercharger or blower)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/08 20:15

L Number	Hits	Search Text	DB	Time stamp
1	311	464/7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:41
2	2	464/7.ccls. and (turbocharger or supercharger or blower)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:43
3	21	464/7.ccls. and (torsion or torsional or torsioning or damping or damp or dampener)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:42
4	30	464/7.ccls. and (torsion or torsional or torsioning or damping or damp or dampener or spring)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:44
6	1267	464/55-68.ccls. and (torsion or torsional or torsioning or damping or damp or dampener or spring)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:44
7	1267	(464/55-68.ccls.) and (torsion or torsional or torsioning or damping or damp or dampener or spring)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:44
5	13	464/55-68.ccls. and (turbocharger or supercharger or blower)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:54
8	1		USPAT	2004/02/09 15:46
9	1		USPAT	2004/02/09 15:46
10	1		USPAT	2004/02/09 15:46
11	1		USPAT	2004/02/09 15:46
12	1		USPAT	2004/02/09 15:47
13	1		USPAT	2004/02/09 15:47
14	1		USPAT	2004/02/09 15:48
15	1		USPAT	2004/02/09 15:48
16	1		USPAT	2004/02/09 15:48

17	1		USPAT	2004/02/09 15:48
18	9	464/55-68.ccls. and (turbocharger or supercharger or blower) and (lubricate or lubricates or lubricating or lubricant or oil)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:55
19	9	464/55-68.ccls. and (turbocharger or supercharger or blower) and (lubricate or lubricates or lubricating or lubricant or oil or mist)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:01
20	18995	(turbocharger or supercharger or blower) and (lubricate or lubricates or lubricating or lubricant or oil or mist)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:01
21	3743	(turbocharger or supercharger or blower) and (lubricate or lubricates or lubricating or lubricant or oil or mist) and (torsion or torsional or torsioning or spring or damping or dampener)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:04
22	1096	(turbocharger or supercharger or blower) and (lubricate or lubricates or lubricating or lubricant or oil or mist) and (torsion or torsional or torsioning or spring or damping or dampener) and (pulley or belt)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:05
23	3	(turbocharger or supercharger or blower) and (lubricate or lubricates or lubricating or lubricant or oil or mist) and (torsion or torsional or torsioning or spring or damping or dampener) and (pulley or belt) and "axial gap"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:05
25	1		USPAT	2004/02/09 16:06
26	1		USPAT	2004/02/09 16:06
27	1		USPAT	2004/02/09 16:06
28	1		USPAT	2004/02/09 16:07
24	24	(turbocharger or supercharger or blower) and (lubricate or lubricates or lubricating or lubricant or oil or mist) and (torsion or torsional or torsioning or spring or damping or dampener) and (pulley or belt) and "timing gears"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:08
29	1		USPAT; US-PGPUB	2004/02/09 16:10
30	1		USPAT; US-PGPUB	2004/02/09 16:10

L Number	Hits	Search Text	DB	Time stamp
1	0	123/559.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 09:53
2	1844	123/559.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 09:53
3	26	123/559.1.ccls. and (splash or vapor or mist)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 10:00
4	1	123/559.1.ccls. and (splash or vapor or mist) and torsion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 10:00
5	32	123/559.1.ccls. and (splash or vapor or mist) andspring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 10:00
6	12	123/559.1.ccls. and (splash or vapor or mist) and spring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 10:01
7	0	123/559.1.ccls. and (splash or vapor or mist) and dampener	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 10:02